



ecorack[®]

19" WALL RACK MOUNT ENCLOSURE CABINETS



OLIVETEL SA

ÍNDICE

Contents

General information	1
Models and dimensions	2
Reliable with Productivity, Quality and Safety	3
Scalability and accessories	5
Contacts and company's information	6

ECORACK - 19" WALL RACK MOUNT ENCLOSURES

General information

INTRODUCTION

With over two decades of experience, we have created a concept and a production line of enclosure cabinets that have the ability to provide an easy and fast installation, with the most competitive price on the market, while maintaining the level of quality required by the standards of the European community for equipment's and installations on the Information and Communication Technology (ICT) sector.



STANDARDS AND CE COMPLIANCE

- 19" according EIA 310 D / DIN 41 494 / IEC 60 297
- IP20 according DIN 400 50 / IEC 60 529
- European directives 2014/35/CE (Low Voltage Electrical Equipment)
- European directives 2014/53/CE (telecommunications terminal equipment)

ECORACK - 19" WALL RACK MOUNT ENCLOSURES

Models and dimensions

STANDARD AVAILABLE MODELS

The Ecorack Wall rack mount enclosures are the most economical solution for their installation. They are sent to the customer in our "flat pack box" concept, including the instructions manual, and in just about 15 minutes, the installation is done. Simple and compact installation, fast and easy assembly.

DIMENSIONS

WALL MOUNT ENCLOSURES

PRODUCT (KIT FLAT PACK)	U'S	HEIGHT (MM)	WIDTH (MM)	DEPTH (MM)	WEIGHT (KG)	FLAT PACK (DIMENSIONS)
211.ECAM A0T 065504	6	327	550	400	9,4	505x580x170
211.ECAM A0P 065506	6	327	550	600	13,0	650x660x170
211.ECAM A0T 095504	9	470	550	400	14.0	505x580x170
211.ECAM A0P 095506	9	470	550	600	18.0	650x660x170
211.ECAM A0T 155504	15	727	550	400	16.5	655x770x180
211.ECAM A0P 155506	15	727	550	600	21.0	655x770x180

BASIC COMPONENTS



- (1x) Chassis structure with: 1 base, 1 top model and 2 sides
- (2x) side panels (only applies to the 600mm depth models)
- (1x) Tempered glass front door
- (2x) 19" Rack Mounting Profiles w/ Adjustable depth system
- Kit "flat pack" (instructions manual included), or carton-packaging, stretch film and wooden base for assembled solution.
- Colour: Antracite, Black (similar to RAL 9005)

ECORACK - 19” WALL RACK MOUNT ENCLOSURES

Reliable with Productivity, Quality and Safety

Time is a crucial factor when it comes to installation projects, as well as the components that are handled. Our product range was conceived and designed to make productive and safe installations.

When delivering the product in our “kit” concept, not just the transportation and space are optimized, but it also allows the installer to keep the equipment protected in the working place, until the installations conditions are ensured. All packages include an assembling manual, and it’s extremely easy and quick to assemble, without the need of any special tools.

SOME FUNCIONAL ADVANTAGES

- Easily removable door
- Easy removable side Panels (Only applies to the 600mm depth enclosures)
- Inviolability (door with lock and respective key)
- Pre cuts in coverage and base for ventilation system or cable routing.
- Tempered glass for the safety of the equipment and users
- All components (doors and panels) connected through terminals for grounding connection.
- Max. weight : 35 Kg

MATERIALS

- Polished steel plate
- galvanized steel plate
- toughened glass (bronze)
-

SURFACE TREATMENT

- Defatting and phosphate treatment, washing and drying in furnaces
- preparatory process before painting, in order to clean the metal pieces, conferring a good surface for the powder
- textured epoxi-poliester polymerization (interior application), with the minimum thickness of 80 µm
- Designed for industrial applications, it confers a good mechanical resistance and an excellent protection of the steel plate

ECORACK - 19” WALL RACK MOUNT ENCLOSURES

SAFETY AND QUALITY ASSURANCE

- All components (doors and panels) connected through terminals for grounding connection.
- We guarantee security and trust with all the components provided by us, without any danger of use.
- Toughened Glass application (Glass doors configuration) as European standards.
- Surface treatment with 80 mM of epoxy-polyester textured w/polymerization, designed for industrial applications that confer high mechanical strength and excellent protection of steel sheet.
- Totally free from hazardous materials, Manufacture according to European Directive.



THE GUARENTEE OF A CERTIFIED MANUFACTURER

- Created, conceived and manufactured 100% in National territory with registered brand
- Strategic stock with competitive delivery deadlines.
- Accuracy, strict requirements of international quality standards, evaluation of the non-conformities, re-evaluation of objectives and targets, and immediate response to reclamations according to the process ISO 9001
- Communication, personal and easy access to our professionals and productive units.

ECORACK - 19" WALL RACK MOUNT ENCLOSURES


Scalability and accessories

The capability of developing and increase installations gradually, was foreseen on the conception and manufacturing.

There is an accessories pack that allows you to adapt the installation according to your needs: the ECORACK ACCESSORIES PACK:


ACCESSORIES PACK

PRODUCT CODE	INCLUDED ACCESSORIES
ECPK002000000	6 Outlet Power Strip
	Ventilation unit w/1 ventilator
	250mm depth shelf
	1U horizontal aligner cables panel



SPECIFIC ACCESSORIES

PRODUCT CODE	DESCRIPTION
ECCT000060000	6U Rear panel
ECCT000090000	9U Rear panel
ECCT000150000	15U Rear panel



Obs.: For more information about accessories, please consult our compatibilities map.

Or you may contact our technical/commercial area in order to obtain personalized advice.

ECORACK - 19” WALL RACK MOUNT ENCLOSURES

Contacts and company's information

OLIVETEL SA

Rua da Cruz nº66 Naves Industriais A-B-C-D - Algueirão - 2725-663 Mem Martins

Tel (+351) 21 922 98 40

Fax (+351) 21 922 98 50

Email: comercial@olivetel.pt

www.olivetel.pt

